

You're the **B**est in your fields.  
 We're the **B**est in ours.

Sherry is the 29**B** expert.

**Holding Times**

**28 Days**

- HG (Mercury)
- Oil & Grease (OG)
- EC (Electric Conductivity)

**180 Days**

- Metals (excluding Mercury)
- Metals to include True Total Barium (TTBa)

*LDNR: E & P Waste Testing Programs  
 Site Evaluation and Remediation  
 (SERP) Procedures Testing Programs*

<b>State Limits for Non-Hazardous Oilfield Waste as Outlined in the Amendments to Statewide Order 29B</b>			
<b>Test Parameters</b>	<b>Upland Area Title 43 Section 313</b>	<b>Submerged Wetland Area Title 43 Section 313</b>	<b>Elevated Wetland Area Title 43 Section 313</b>
pH Value	6 - 9 (Std. Units)	6 - 9 (Std. Units)	6 - 9 (Std. Units)
Arsenic	10 (ppm)	10 (ppm)	10 (ppm)
True Total Barium	40,000 (ppm)	20,000 (ppm)	20,000 (ppm)
Cadmium	10 (ppm)	10 (ppm)	10 (ppm)
Chromium	500 (ppm)	500 (ppm)	500 (ppm)
Lead	500 (ppm)	500 (ppm)	500 (ppm)
Mercury	10 (ppm)	10 (ppm)	10 (ppm)
Selenium	10 (ppm)	10 (ppm)	10 (ppm)
Silver	200 (ppm)	200 (ppm)	200 (ppm)
Zinc	500 (ppm)	500 (ppm)	500 (ppm)
Oil & Grease	≤ 1% (Dry Wt.)	≤ 1% (Dry Wt.)	≤ (1% Dry Wt.)
Electrical Conductivity (EC)	< 4 (mmhos/cm)	N/A	<8 (mmhos/cm)
Sodium Adsorption Ratio (SAR)	< 12	N/A	< 14
Exchangeable Sodium Percentage (ESP%)	< 15%	N/A	< 25%

**How to submit a sample**

Sherry Labs operates an extensive route service covering much of Louisiana from Mont Belvieu, Texas through Pascagoula, Mississippi. To schedule a pickup or for more information, please call 1.800.737.2378.

29B samples shall be collected in glass containers with Teflon lined lid. Plastic container may be used if Oil & Grease is not an analyte of concern. Samples must be chilled.



2417 West Pinhook Rd  
 Lafayette, LA 70508  
 800.737.2378  
[www.sherrylabs.com](http://www.sherrylabs.com)